

**Revision Date:** 10/25/2006

**Issue date:** 10/25/2006

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product name:** LOCTITE® 2 GASKET SEALANT  
**Product type:** Sealant  
**Company address:**  
 Henkel Corporation  
 1001 Trout Brook Crossing  
 Rocky Hill, Connecticut 06067

**Item No. :** 30514 / IDH No. 234891  
**Region:** United States  
**Contact Information:**  
 Telephone: 860.571.5100  
 Emergency telephone: 860.571.5100  
 Internet: www.loctite.com

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous components</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Clay 1332-58-7	30-60	2 mg/m <sup>3</sup> TWA	15 mg/m <sup>3</sup> TWA total dust 5 mg/m <sup>3</sup> TWA respirable fraction	None
Vegetable oil 68187-84-8	10-30	None	None	None
Rosin 8050-09-7	10-30	None	None	None
Methyl acetate 79-20-9	10-30	200 ppm TWA 250 ppm STEL	200 ppm TWA 610 mg/m <sup>3</sup> TWA	None
Titanium dioxide 13463-67-7	1-5	10 mg/m <sup>3</sup> TWA	15 mg/m <sup>3</sup> TWA total dust	None
Soy lecithin 8030-76-0	1-5	None	None	None
Silica, quartz 14808-60-7	0.1-1	0.025 mg/m <sup>3</sup> TWA respirable fraction	0.1mg/m <sup>3</sup> TWA (respirable)	None
Carbon black 1333-86-4	0.1-1	3.5 mg/m <sup>3</sup> TWA	3.5 mg/m <sup>3</sup> TWA	None

## 3. HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

**Physical state:** Paste  
**Color:** Black  
**Odor:** Ester-like

#### HMIS:

**HEALTH:** 2\*  
**FLAMMABILITY:** 3  
**PHYSICAL HAZARD:** 0  
**Personal Protection:** See Section 8

**WARNING:** MAY CAUSE ALLERGIC SKIN REACTION.  
 MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

**Relevant routes of exposure:** Skin, Inhalation, Eyes

### Potential Health Effects

**Inhalation:** May cause irritation to nose and throat. May cause respiratory tract irritation. Vapor overexposure may cause drowsiness.  
**Skin contact:** May cause allergic skin reaction. May cause skin irritation. Repeated or prolonged contact can result in drying of skin.  
**Eye contact:** Vapors may irritate eyes. Contact with eyes will cause irritation.  
**Ingestion:** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Existing conditions aggravated by exposure:** Eye, skin, and respiratory disorders.

**Item No. :** 30514 / IDH No. 234891

**Product name:** LOCTITE® 2 GASKET SEALANT

See Section 11 for additional toxicological information.

#### 4. FIRST AID MEASURES

<b>Inhalation:</b>	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If symptoms develop and persist, get medical attention.
<b>Skin contact:</b>	Immediately flush skin with plenty of water (using soap, if available). Get medical attention if symptoms occur.
<b>Eye contact:</b>	Flush with copious amounts of water, preferably, lukewarm water for at least 15 minutes, holding eyelids open all the time. Get medical attention.
<b>Ingestion:</b>	Do not induce vomiting. Keep individual calm. Obtain medical attention.

#### 5. FIRE-FIGHTING MEASURES

<b>Flash point:</b>	Product is a solid. Per ASTM D 4359. Pensky Martens closed cup
<b>Autoignition temperature:</b>	Not available
<b>Flammable/Explosive limits-lower %:</b>	Not determined
<b>Flammable/Explosive limits-upper %:</b>	Not determined
<b>Extinguishing media:</b>	Foam, dry chemical or carbon dioxide.
<b>Special fire fighting procedures:</b>	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.
<b>Unusual fire or explosion hazards:</b>	Vapor accumulation can flash or explode if ignited.
<b>Hazardous combustion products:</b>	Aldehydes. Oxides of carbon. Carboxylic acids.

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Environmental precautions:</b>	Prevent product from entering drains or open waters.
<b>Clean-up methods:</b>	Remove all sources of ignition. Ensure adequate ventilation. Scrape up spilled material and place in sealed container for disposal.

#### 7. HANDLING AND STORAGE

<b>Handling:</b>	Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. For operations where eye or face contact could occur, provide safety shower and eyewash fountain.
<b>Storage:</b>	Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.
<b>Incompatible products:</b>	Refer to Section 10.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Engineering controls:</b>	Use local exhaust ventilation to maintain airborne concentrations below established exposure limits.
<b>Respiratory protection:</b>	Use a NIOSH approved supplied air respirator if the potential to exceed established exposure limits exists.
<b>Skin protection:</b>	Use impermeable gloves and protective clothing as necessary to prevent skin contact. Butyl rubber gloves. Neoprene gloves.
<b>Eye/face protection:</b>	Safety goggles or safety glasses with side shields.

Item No. : 30514 / IDH No. 234891

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Paste
<b>Color:</b>	Black
<b>Odor:</b>	Ester-like
<b>Vapor pressure:</b>	Not available
<b>pH:</b>	Not applicable
<b>Boiling point/range:</b>	Not available
<b>Melting point/range:</b>	Not available
<b>Specific gravity:</b>	1.55 at 25°C (77°F)
<b>Vapor density:</b>	Not available
<b>Evaporation rate:</b>	Not available
<b>Solubility in water:</b>	Partial
<b>Partition coefficient (n-octanol/water):</b>	Not available
<b>VOC content:</b>	0.3%; 4.65 grams/liter

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable.
<b>Hazardous polymerization:</b>	Will not occur.
<b>Hazardous decomposition products:</b>	Oxides of carbon. Aldehydes. Carboxylic acids.
<b>Incompatibility:</b>	Strong oxidizing agents. Amines. Ammonia. Strong acids. Sulfuric acid. Nitric acid.
<b>Conditions to avoid:</b>	Heat, flames, sparks and other sources of ignition. Storage with incompatible materials.

## 11. TOXICOLOGICAL INFORMATION

**Product toxicity data:** Acute oral LD50 greater than 5000mg/kg (rat)(estimated).

### Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Clay 1332-58-7	No	No	No
Vegetable oil 68187-84-8	No	No	No
Rosin 8050-09-7	No	No	No
Methyl acetate 79-20-9	No	No	No
Titanium dioxide 13463-67-7	No	Group 2B	Yes
Soy lecithin 8030-76-0	No	No	No
Silica, quartz 14808-60-7	Known Carcinogen	Group 1	Yes
Carbon black 1333-86-4	No	Group 2B	Yes

### Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Clay 1332-58-7	Nuisance dust
Vegetable oil 68187-84-8	No data
Rosin 8050-09-7	Respiratory, Irritant, Allergen
Methyl acetate 79-20-9	Irritant, Central nervous system, Eyes, Blood
Titanium dioxide 13463-67-7	Irritant, Respiratory
Soy lecithin 8030-76-0	No Target Organs
Silica, quartz 14808-60-7	Some evidence of carcinogenicity, Lung, Immune system
Carbon black 1333-86-4	Respiratory, Some evidence of carcinogenicity

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available

## 13. DISPOSAL CONSIDERATIONS

**Information provided is for unused product only.**

**Recommended method of disposal:** Dispose of according to Federal, State and local governmental regulations.

**EPA hazardous waste number:** Not a RCRA hazardous waste.

## 14. TRANSPORT INFORMATION

**U.S. Department of Transportation Ground (49 CFR):**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**International Air Transportation (ICAO/IATA):**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**WaterTransportation (IMO/MDG):**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None  
**Marine pollutant:** None

## 15. REGULATORY INFORMATION

### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
**TSCA 5 (a) (2) SNUR:** None.  
**TSCA 12 (b) Export Notification:** Methyl acetate (CAS # 79-20-9).

**CERCLA/SARA Section 302 EHS:** None.  
**CERCLA/SARA Section 311/312:** Immediate Health Hazard, Delayed Health Hazard  
**CERCLA/SARA 313:** None above reporting de minimus.

**California Proposition 65:** This product contains a chemical known to the State of California to cause cancer.

### Canada Regulatory Information

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Domestic Substances List.  
**WHMIS hazard class:** D.2.A, D.2.B

## 16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: First issue.

**Prepared by:** Kyra Kozak Woods, Product Safety and Regulatory Affairs Specialist

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.